



## Golf Flexibility

*K's Body Shop Personal Fitness Training recommends that you consult with your Physician before starting any new exercise program.*

**TRAINER :** KELLY DOYLE, MS, CSCS

**INTRODUCTION :** The following exercises should help golfers achieve or maintain the flexibility needed for an effective golf swing. These exercises may or may not be appropriate for all golfers, especially those who have health or injury concerns.

To perform self-myofascial release exercises, place a biofoam roller on the floor and position your body as described for each exercise. Slowly roll over the target areas, searching for tender spots. When you find a sensitive area, stay on that area for several seconds, relaxing as much as possible. This will help to reduce the muscular adhesions that have formed in the soft tissue.

For pre-workout stretching, active or dynamic stretches are recommended after a general warm-up of at least 5-10 minutes.

For post workout stretching, static stretches are best done after foam rolling.

**WARM UP :** General warm-up 5-10 minutes

## SUMMARY OF PROGRAM

Self Myofascial Release	Reps	Duration
IT Band - SMR	1	30-60 seconds
Tensor Fascia Latae - SMR	1	30-60 seconds
Quadriceps - SMR	1	30-60 seconds
Adductor - SMR	1	30-60 seconds
Hamstring - SMR	1	30-60 seconds
Gastroc/Soleus - SMR	1	30-60 seconds
Peroneals - SMR	1	30-60 seconds
Piriformis - SMR	1	30-60 seconds
Latissimus Dorsi - SMR	1	30-60 seconds
Rhomboids - SMR	1	30-60 seconds
<b>Stretches</b>		
Posterior Shoulder	1-3	20-30 seconds
Calf - Bent Knee Standing Against Wall	1-3	20-30 seconds
Calf - Straight Leg Standing	1-3	20-30 seconds
Quadriceps - Standing	1-3	20-30 seconds
Adductor - Standing	1-3	20-30 seconds
Abductor/Outer Hip - Standing	1-3	20-30 seconds
Tricep	1-3	20-30 seconds
Pec/Anterior Deltoid	1-3	20-30 seconds
Piriformis	1-3	20-30 seconds
Upper Traps - Seated	1-3	20-30 seconds
Butterfly	1-3	20-30 seconds
Hip Flexor - Kneeling	1-3	20-30 seconds
McKenzie Press Up	10	Coordinate with breathing
Hamstring - Lower, Lying	1-3	20-30 seconds
Spinal Rotation - Quadruped	5-10	active

Program designed by K's Body Shop Personal Fitness Training

### IT BAND - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

#### **Preparation**

: Position yourself on your side lying on foam roll just below hip bone (as shown).

Maintain head in "neutral" with ears aligned with shoulders.

This may be very uncomfortable; if so, do in moderation.

**Movement :** Roll just below hip joint down the outer thigh to just above the knee.

If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



### TENSOR FASCIA LATAE - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

#### **Preparation**

:

Body is positioned prone with top of quadriceps on foam roll.

It is very important to maintain proper core control to prevent low back compensations. Do not allow low back to sag.

**Movement :** Roll onto one hip so that foam roll is placed just to the outside of the front hip bone (left hip shown in picture).

If a "tender point" is located, rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## QUADRICEPS - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

### Preparation

:

Body is positioned prone with top of quadriceps on foam roll.

Do not allow low back to sag.

**Movement :** Roll down front of thighs to just above knees.

If a "tender point" is located, rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## ADDUCTOR - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

### Preparation

:

Body is positioned prone with one leg out to side.

Leg will be on top of foam roll near groin so that inner thigh is resting on roll.

Maintain neutral neck and spine.

**Movement :** Roll down inner thigh to just above knee.

If a "tender point" is located, rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## HAMSTRING - SMR

**Reps :** 1

**Duration :** 30-60 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

Sit on foam roll with legs stretched out straight in front of you (as shown).

Place hands on floor to help support posture.



**Movement :** Roll down back of thighs to just above knee.

If a "tender point" is located, rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## GASTRO/SOLEUS - SMR

**Reps :** 1

**Duration :** 30-60 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

Place foam roll under mid belly of lower leg.

Cross one leg over other to increase pressure (optional).

Lift hips off floor to increase pressure.



**Movement :** Slowly roll calf area.

If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## PERONEALS - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

### Preparation

:

Place foam roll under outer side of lower leg.

Cross one leg over other to increase pressure (optional).

Lift hips off floor to increase pressure (optional).



### Movement :

Slowly roll outer calf area.

If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## PIRIFORMIS - SMR

**Reps : 1**

**Duration : 30-60 seconds**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

**Preparation** Begin by sitting on foam roll.

:

Cross one leg over other knee as shown.

Shift weight to hip with crossed leg.



**Movement :** Slowly roll the posterior hip area.

Increase stretch by pulling knee toward opposite shoulder (as shown).

If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.

Roll off of the tender point briefly, then repeat.

Stay relaxed!

Only roll over soft tissue, avoid rolling over joints.



## LATISSIMUS DORSI - SMR

**Reps :** 1

**Duration :** 30-60 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### **Preparation**

:

Start in a side lying position with arm outstretched and palm facing upward.

Place the foam roll in the arm pit area.

**Movement :** Slowly roll the posterior arm pit area.

If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.



Roll off of the tender point briefly, then repeat.

Stay relaxed!


Only roll over soft tissue, avoid rolling over joints.





Program designed by K's Body Shop Personal Fitness

SMFR – RHOMBOIDS		
<b>Preparation</b>	<p>Lie supine on top of foam roll so that roll is across back of shoulders.</p> <p>Keep knees bent with feet flat on floor to increase balance.</p> <p>Lift hips off floor to increase pressure (optional).</p>	
<b>Movement</b>	<p>Slowly roll so that pressure is applied to posterior shoulder area.</p> <p>If a "tender point" is located, stop rolling, and rest on the tender point for 5-10 seconds.</p> <p>Roll off of the tender point briefly, then repeat.</p> <p>Stay relaxed!</p> <p>Only roll over soft tissue, avoid rolling over joints.</p> <p>If different arm positions are used, be sure to allow shoulder blades to move freely before applying pressure.</p>	
<b>Variations</b>	<p>Change arm positions: across chest, abducted and externally rotated.</p>	



POSTERIOR SHOULDER		
<b>Preparation</b>	Standing upright, bring arm across chest.	
<b>Movement</b>	Gently assist stretch by placing hand on elbow as shown.	
<b>Variations</b>		

CALF - BENT KNEE STANDING AGAINST WALL		
<b>Reps</b> : 1-3	<b>Duration</b> : 20-30 seconds	<b>Tempo</b> : 0
<b>Sets</b> : 0	<b>Intensity</b> : 0	<b>Rest</b> : 0
<b>Preparation</b> : <p>Begin by bracing yourself against a wall or sturdy object with your arms.</p> <p>Retract shoulders to neutral position.</p> <p>Your back leg should be bent at the knee with toes pointing straight ahead.</p>		
<b>Movement</b> : Knee of back leg should be kept bent throughout exercise. <p>Hold for 20 – 30 seconds.</p>		

## GASTROCNEMIUS - STANDING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

Begin by bracing yourself against a wall or sturdy object with your arms.

Retract shoulders to neutral position.

Your back leg should be straight at the knee with toes pointing straight ahead.

**Movement :** Knee of back leg should be kept straight throughout exercise.

Keep heel of back leg flat on floor.

To enhance stretch, attempt to lift toes of back foot.

Hold for 20 – 30 seconds.



## QUADRICEPS - STANDING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

Stand as pictured, with "tall" posture in optimal alignment, grasping one ankle.

Use other arm to brace against wall or sturdy object if needed.

**Movement :** Perform a posterior pelvic tilt while squeezing the glute of the stretching leg.

Hold for 20-30 seconds.



## ADDUCTOR - STANDING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation :

With legs spread, shift weight to one side so that one knee is straight and the other is bent (as shown).



Keep toes pointed straight ahead.

### Movement :

Keeping knee straight, rotate body to left and right to vary the stretch.

Switch sides and repeat.

Can be done as a static stretch or an active stretch.



Program designed by K's Body Shop Personal Fitness

## ABDUCTOR/OUTER HIP - STANDING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

**Preparation**

:

Keeping knees straight, internally rotate one leg from the hip.

**Movement :**

Shift weight so that internally rotated hip is pushed straight out to the side.

Switch sides and repeat.



## TRICEP

**Preparation**

Stand erect with good posture.

**Movement**

With left hand, reach up and place palm of hand between shoulder blades as if you are patting yourself on the back.

Assist stretch by gently pulling elbow (as shown).



**Variations**

## PEC/ANTERIOR DELTOID

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### **Preparation :**

Stand against a wall or sturdy object and form a 90/90-degree angle with your arm and shoulder as depicted.

### **Movement :**

Slowly rotate your trunk forward around stationary arm until a slight stretch is felt in the anterior shoulder region.



Program designed by K's Body Shop Personal Fitness

## PIRIFORMIS

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### **Preparation :**

Begin in figure 4 position as pictured.

Place foot of support leg as close to buttock as possible.



### **Movement :**

Push knee of bent leg away from you until stretch is noted, hold for 20-30 seconds.

Pull knee toward opposite shoulder until stretch is felt, hold for 20-30 seconds.

Repeat for other leg.

Place support leg up on stability ball or chair for greater support if needed.



Program designed by K's Body Shop Personal Training

## UPPER TRAPS - SEATED

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

In optimal posture sit on a bench with a 90 degree bend at the hips and knees.

Grasp the side of the bench with the left hand and lean to the right so that the arm is taut (as shown).

### Movement :

Tuck your chin in and slowly draw your right ear toward your right shoulder until tension is felt.

Hold for 20-30 seconds.

Repeat on other side.

**Optional:** Use your your right hand to apply slight pressure to enhance stretch (as shown).



## BUTTERFLY

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation

:

Sit with soles of feet together and knees out to sides (as shown).

### Movement :

Actively pull knees toward floor.

Hold for 20-30 seconds.

For added stretch, press knees toward floor with hands.



## HIP FLEXOR - KNEELING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation :

Slightly internally rotate the back leg and kneel down. Be sure to rotate BEFORE kneeling.

Keep torso erect.

### Movement :

Draw your belly button inward.

To enhance the stretch, reach same side arm up and over. It is important not to deviate forward or backward while reaching up and over.

While maintaining the above-mentioned steps, rotate backwards slightly on the same side being stretched.

Tighten glutes and perform a posterior pelvic tilt.

Avoid arching low back!

Motion occurs predominately at the pelvis (posterior pelvic tilt), the back leg should not move.



Program designed by K's Body Shop Personal Fitness Training



## MCKENZIE PRESS UP

**Reps : 10**

**Tempo : 0**

**Sets : 0**

**Intensity : 0**

**Rest : 0**

**Notes :** coordinate with breathing

### Preparation

:

This exercise should be avoided if any low back pain or discomfort is present.

Lie on your stomach. Place hands just outside the tops of your shoulders.

### Movement :

Inhale deeply and begin pressing upward (push up). As you slowly push up, *exhale* and keep your hip bones/pelvis on the floor.

It is very important to relax the buttocks & spine muscles!

Hold the position at the top until you need to take a breath.

As you inhale, slowly lower your body to the floor.



Program designed by K's Body Shop Personal

## HAMSTRING - LOWER, LYING

**Reps :** 1-3

**Duration :** 20-30 seconds

**Tempo :** 0

**Sets :** 0

**Intensity :** 0

**Rest :** 0

### Preparation :

Lie down on back and flex hip and knee to 90°. Your lumbar spine should NOT move!

Grasp leg behind knee with hands as shown.

### Movement :

Pull your toes back toward your shin as far as you can control.




Slowly extend knee to ceiling until a slight stretch is felt. The thigh must remain vertical without allowing the spine to move.

Lumbar spine must remain neutral.

Alternative technique: Following movement instructions, wrap towel around foot and slowly extend knee to ceiling until a slight stretch is felt.



Program designed by K's Body Shop Personal Fitness

SPINAL ROTATION - QUADRUPED		
<b>Preparation</b>	<p>Begin from a quadruped position (on hands and knees).</p> <p>Place palm of one hand behind the neck and as far down the back as possible (between shoulder blades).</p>	
<b>Movement</b>	<p>Rotate spine so that you are bringing the elbow across and under the body towards the opposite knee.</p> <p>Rotate back to original position, then continue rotating so that elbow is pointing up towards the ceiling.</p> <p>Keep neck in a neutral position throughout the exercise.</p> <p>Repeat for desired number of reps.</p>	 
<b>Variations</b>	Straight arm instead of bent.	

*Legal Disclaimer*

No warranty is given as to the accuracy of the information on any of the pages in this website. No responsibility is accepted for any loss or damage suffered as a result of the use of that information or reliance on it. Customers make certain representations as to their health, physical abilities, and training experience, which cannot be denied or confirmed by Kelly Doyle or K's Body Shop Personal Fitness Training. It is a matter for users to satisfy themselves as to their medical and physical condition before attempting the exercises presented. Users should consult their Physician BEFORE beginning an exercise program. The information provided is not intended to diagnose or treat any disease or medical condition. Notwithstanding a users medical or physical condition, no responsibility or liability is accepted by K's Body Shop Personal Fitness Training or Kelly Doyle for any loss or damage suffered by any person as a result of their choice to perform the exercises presented at their own risk. Users should seek qualified professional instruction for any and all exercises to ensure that they are done with proper technique. The exercises presented in this document are offered for instructional purposes only and are not intended to be construed as specific recommendations for a particular individual.

© Copyright K's Body Shop Personal Fitness Training 1997-2008.  
All rights reserved.